LIMESTONE COUNTY 200 West State Street Suite 101 Groesbeck, Texas 76642

HOW TO OBTAIN A PERMIT FOR AN ON-SITE SEWAGE FACILITY

SINGLE FAMILY RESIDENTIAL FEE: \$310.00 ALL OTHER TYPE SYSTEMS FEE:\$510.00 Commercial, including multi-family dwellings

- Obtain an application from Limestone County.
- D Have appropriate individual (Registered Sanitarian, Professional Engineer, or Licensed Installer) perform mandatory soil identification procedure.
- Have appropriate individual prepare planning materials. Professional design (R.S., P.E.) is required for proprietary and non-standard systems.
- Every OSSF must have an approved floodplain. This may be submitted and paid for online prior to filing your septic application OR you may submit and pay for your floodplain application at the same time as your septic application if you prefer. (\$25)
- All Aerobic systems must have an Affidavit to the Public recorded with the County Clerk's Office prior to the OSSF application being filed.
- Submit completed application and technical information sheet (in property owner's name) with all pages in intact. Include the appropriate fee and one copy each of the following:

 1) planning materials; 2) site and soil evaluation; 3) accurate directions to the site must be included; 4) 2-year Maintenance Contract for Aerobic OSSF.
- Plans and application will be received by Limestone County staff. Non-standard system plans may be reviewed by TCEQ staff in Austin.
- Upon approval, an Authorization to Construct will be issued. The Authorization to Construct is valid for one year from the date of issuance.
- Begin construction. An inspection of the installation is required <u>before</u> covering of the system. Contact our office at least **5 business days** in advance to arrange an inspection.
- After successful inspection, a Notice of Approval will be issued to the owner within approximately 5 business days.
- NOTE: A re-inspection fee equal to one-half (½) of the permit amount must be paid by the installer for each time the system must be re-inspected. All fees must be paid before a Notice of Approval will be issued.

ALL FEES SHALL BE PAID BY PERSONAL CHECK, CASHIER'S CHECK, OR MONEY ORDER, NO CASH WILL BE ACCEPTED, MAKE CHECKS PAYALE TO LIMESTONE COUNTY.

0	NEW INSTALLATION MODIFICATION		ONE COUNTY ATION FOR ON-S	ITE SEWAGE FACILIT	Y
	MODIFICATION			ND MODIFICATION	APPLICATION NO.
		LIMEST	ONE CO. REGION	NUMBER	DATE
					AMOUNT
1.	PROPERTY OWNER'S NAI	ME:	(LAST)	(FIRST) (M	IDDLE)
2.	PERMANENT MAILING A	DDRESS:			
			(CITY)	(STATE)	(ZIP)
3.	TELEPHONE NO. (DAYTI	ME):)		
4.	SITE ADDRESS:				
5.	LEGAL DESCRIPTION: S	ec	Block	Lot	Date
	SUBDIVISION:				
	OTHER THAN SUBDIVISI	ON:	ACREAGE	su	RVEY
6.	SOURCE OF WATER:	Private	Well D	Public Water Supply	01 00 11)
7.	SINGLE FAMILY RESIDE	NCE:	No. Of Bedrooms	Living Area	(Name of Supplier)
8.	COMMERCIAL/INSTITUT	TONAL (in	cluding multi-famil	y residence) TYPE:	
	NO. OF EMPLOYEES/OCC	CUPANTS/	UNITS:	DAYS OCCUPI	ED PER WEEK
9.	SITE EVALUATOR:			CERTIFICATI	ON NO
10), DESIGNER: PHONE NO:				(PE or RS):
1	I. INSTALLER:			REGISTRATIO	ON NO:
	PHONE NO:				
th e	certify that the above statement the Limestone County Designated valuation and inspection of on accessful inspection of the instance County's On-Site Science	ated Represe stalled syste	entative to enter upone fe facility and that a m which indicates t	on the above described propermit to operate the faci hat the system was install	operty for the purpose of lot lity will be granted following
1	2(SIGNATURE	OF OWNE	₹R)		(DATE)
	(SIOIAA I OKE	. 01 0 11 11			•

LIMESTONE COUNTY ON-SITE SEWAGE FACILITY TECHNICAL INFORMATION FOR PERMIT

APPLICATION # _____

		NOT BEGIN CONSTRUCTION PRIO CONSTRUCTION CAN RESULT IN			
		OWNER'S NAME:		COUNTY:	
	Pro	fessional design required? ☐ Yes ☐			
l.	Se	ewer (House drain):			
	TY	PE AND SIZE OF PIPE:		SLOPE OF SEWER PIPE TO TANK:	
11.		AILY WASTEWATER USAGE RATE: VATER SAVING DEVICES: □ Yes □ No		(gallons	s/day)
III.		REATMENT UNIT:			
		*TANK DIMENSIONS:	* LIQU	IID DEPTH (BOTTOM OF TANK TO OUTLE	T)
		*SIZE REQUIRED:	*SIZE	PROPOSED:	
	В.	□ AEROBIC:			
		*MANUFACTURER:	*MOI	DEL#:	
		*SIZE REQUIRED:	*SIZE	PROPOSED:	
		*RETREATMENT TANK: ☐ Yes ☐ No			
	C.	OTHER:			
		(Please attach description)			
IV,		SPOSAL SYSTEM: PE:			
		REA REQUIRED:			
V.	ΑD	DDITIONAL INFORMATION: DTE – THIS INFORMATION MUST E			
		SITE EVALUATION PLANNING MATERIALS WATER WELLS LOCATED ON PROPERT	Y		
The	e atta	ached checklist details those items that m	ust b	e addressed under each of these categ	ories.
	_	DESIGNER'S SIGNATURE		REGISTRATION NO.	DATE

OSSF Site Evaluation

State Zip	gistration ?		State:		//	Name:	• 1	
State: Zip: Address: City: State: Zip: Phone: Fax: State Zip: Phone: Fax: State Zip: Phone: Fax: Zip: Code: City: Address: Zip: Code: City: Address: Zip: Code: City: Address: Zip: Code: City: Address: Zip: Code: City: Phone: Fax: Zip: Code: City: Zip: City: Zip: Code: City: Zip: City: Zip: Code: City: Zip: City: Z	ity: none: gistration I		State:		- //			
perty Location: Bik Sec Subdivision Name: County: County: Address: County: Analysis Requirements: Analysis Requirements: At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number Soil Class Testing Textural (if applicable) Monitory and Monitor Restrictive	one: gistration l		State:			Address:		
perty Location: Bik Sec Subdivision Name: County: County: Address: County: Analysis Requirements: Analysis Requirements: At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number Soil Class Testing Textural (if applicable) Monitory and Monitor Restrictive	gistration ?			Zip)		-City	State	
perty Location: Bik See Subdivision Proposed Excavation Depth: Proposed Excavation Depth: Proposed Excavation Depth: Analysis Reguirements: At least two subdivision subdivision and identify any restrictive features or evidence of groundwater. Also, indicate the depth which subdivision subdivision and identify any restrictive features or evidence of groundwater. Also, indicate the depth which subdivision subdivision and identify any restrictive features or evidence of groundwater. Also, indicate the depth which subdivision subdivision and identify any restrictive features or evidence of groundwater. Also, indicate the depth which subdivision for evidence appear. Subdivision Subdivision Subdi			Fax:		.;	Phone	State;	Zip:
Bik. Sec. Subdivision Sec. Subdivision Sec. Subdivision Company: Company: Company: Company: Address: City: Sure: Zip Code: City: Proposed Excavation Depth: Proposed Excavation Depth: Analysis Requirements: At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subdivinged tisposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation of all soil. Per subdivinged tisposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth which she features or evidence of groundwater. Also, indicate the depth which she features or evidence appear. Soil Boring Number Soil Class Soil Class Soil Class Depth Textural (if applicable) Drainage (Montes/Water Rorizon Comments) Class (if applicable) Texturel (Feet) Class (if applicable) Restrictive Restrictive Comments Table) Soil Class Soil Class Comments Comments Comments Restrictive Comments Genth Textural Class (if applicable) Texturel Comments Class (if applicable) Texturel Class (Honder/Water Rorizon Comments Soil Class	merty T	Yumber					Fax;	
Blk See Subdivision Name; Company:	were and	ocation:		, = 2 · · · · · · · · · · · · · · · · · ·		Installer Inform	Tritte (YEVE)	•
County: Zip Code Zip Code City: Sure: Sure: Solitation Depth: Proposed Excavation Depth: Analysis Requirements: At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Depth Textural Structure (if applicable) Class Structure Horizon Depth Class Structure Drainage (MontestWater Horizon Comments) Soil Class Soil Class Depth Textural Structure Drainage (MontestWater Horizon Comments) Comments Soil Class Depth Class (if applicable) Drainage Restrictive Comments Comments Comments Comments Comments Comments Comments Table)		erika epatia	a Propriet authorises au	:1				
County: Zip Code Zip Code City: Sure: Sure: Solitation Depth: Proposed Excavation Depth: Analysis Requirements: At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Depth Textural Structure (if applicable) Class Structure Horizon Depth Class Structure Drainage (MontestWater Horizon Comments) Soil Class Soil Class Depth Textural Structure Drainage (MontestWater Horizon Comments) Comments Soil Class Depth Class (if applicable) Drainage Restrictive Comments Comments Comments Comments Comments Comments Comments Table)	Blk.	Sec.	Subdivision	ì		Alaman	The company of the control of the co	77
Comments Comments	ress				£	Compositive Y	., 1	111.
Sq. ft. Phone: Factor Sq. ft. ft. Factor Sq. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft			County:		·	Company		
Sq. ft. Phone: Factor Sq. ft. ft. Factor Sq. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft						"Addresship (%)	- variable	
Analysis Reguirements: At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which shot features or evidence appear. Depth Textural Structure Drainage Restrictive Horizon Comments	Size:		acres or			City:	State	Zip:Code:
Analysis Regulirements: At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number Soil Class Depth Textural (if applicable) Population of all soil depth of at least two feet below the proposed excavation depth. Soil Class Soil Class Soil Class Soil Class Depth Textural (if applicable) Drainage (Moules/Water Restrictive Rorzon Comments Comments Comments Comments Table)	tional Info	ormation:			sq. n.	Phone:	Fax:	
At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number Soil Class Depth Textural Structure (Montes/Water Horizon Table) Class (if applicable) Drainage (Montes/Water Horizon Soil Class Comments Table) Depth Textural Structure (Montes/Water Horizon Soil Class Comments Comments Comments Table) Depth Textural Structure (Montes/Water Horizon Soil Class Table) Depth Textural Structure (Montes/Water Horizon Soil Class Horizon Table)	-,	·						
At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number Soil Class Depth Textural Structure (Montes/Water Horizon Table) Class (if applicable) Drainage (Montes/Water Horizon Soil Class Comments Table) Depth Textural Structure (Montes/Water Horizon Soil Class Comments Comments Comments Table) Depth Textural Structure (Montes/Water Horizon Soil Class Table) Depth Textural Structure (Montes/Water Horizon Soil Class Horizon Table)		76				Proposed Excava	tion Depth:	
At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number	å nalveie I	Paguinamana.						
At least two soil excavations must be performed on the site, at opposite ends of the proposed disposal area. The location of all soil boring or backhoe pits must be shown on the site drawing. For substrace disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number Soil Class Depth Textural (if applicable) Drainage (Montes/Water Toble) Soil Class Depth Textural Structure (If applicable) Restrictive Horizon Class (If applicable) Restrictive Horizon Depth Textural Class (If applicable) Restrictive Horizon Table)	vitariA272 1	vednitement	56					
For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number								
For subsurface disposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number Depth Textural (if applicable) Drainage (Montles/Water Table) Soil Class Popth Textural Structure (if applicable) Prainage (Montles/Water Table) Depth Textural Structure (If applicable) Prainage (Montles/Water Table) Depth Textural Structure (If applicable) Prainage (Montles/Water Table)	At leas	t two soil exc	avations must	be performed of	n the site, at onne	nsite ends of the hi	connect disposed	
For substitute emposal, soil evaluations must be performed to a depth of at least two feet below the proposed excavation depth. Describe on the form each soil horizon and identify any restrictive features or evidence of groundwater. Also, indicate the depth which such features or evidence appear. Soil Boring Number	boring	or backhoe p	its must be sh	own on the site of	drawing.		of and an income at ear 1116 K	actrion of \$11 2011
which such features or evidence appear. Soil Boring Number Depth (Feet) Class (if applicable) (Mottles/Water Table) Soil Boring Number Soil Class Restrictive Horizon Comments Comments Soil Class Feet) Class (if applicable) (Kouter Water Table) Class (if applicable) (Kouter Water Table) Soil Class Soil Class	ror suc	ISULIACE DISTO	טוביים ונחס ובלכ	ations much be		anth of at least two	Foot below 45 .	i ·
Soil Boring Number Soil Class Structure (If applicable) Drainage (Montes/Water Table) Class Soil	Describ	e on the form	each soil hor	izon and identif	v anv reet-i-tive	Continue on and I we	reet below the proposed exc	avation depth.
Soil Boring Number Soil Class Structure (If applicable) Drainage (Montes/Water Table) Class Soil	which s	ùch features	or evidence ar	nesr) Any restrictive	teatures or evidence	e of groundwater. Also, inc	dicate the depth
Depth Class (if applicable) Drainage (Montes/Water Florizon Comments Comments Comments Comments Comments Comments Comments Soil Class Soil Class Soil Class Soil Class Soil Class Comments				Drait.			,	<u>.</u>
Depth Class (if applicable) Drainage (Montes/Water Florizon Comments Class (if applicable) Table) Soil Boring Number Soil Class Soil C		Soil Boring	Number				•	į
(Feet) Class ((f applicable) (Montes/Water Table) Soil Borting Number Soil Class Soil C		4			-		Soil Class	_
(Feat) Class (if applicable) (Monies/Water Table) Soil Borting Number Soil Class Soil C		Depth	Tertural	Company				
Soil Bolting Number Soil Class Depth Textural (if applicable) Drainage (Kionles/Waier Table) Class (if applicable) Restrictive Horizon Table) O Table Soil Class Soil Class Soil Class Comments Table Soil Class					Drainage	Restrictive	Comments	j
Soil Boiring Number Soil Class Depth Textural Class Structure (Noules/Naice Table) Drainage (Noules/Naice Table) Drainage (Noules/Naice Table)		(" (-)	CIASS	(it spbilespie)		Horizon		ļ
Soil Boiring Number Soil Class Depth Textural Structure (if applicable) (Noulet/Water Table) Class (if applicable) Table) Table		 			[Table)			{
Soil Boring Number Soil Class Depth Textural Structure Drainage (Nfoules/Water Table) Class (if applicable) (Nfoules/Water Table) Description Class (Nfoules/Water Table)		10	¢					
Soil Boiring Number Soil Class Depth Textural Structure (Noules/Water Table) Class (if applicable) Table) Soil Class Comments Comments						1		}
Soil Boring Number Soil Class Depth Textural Class (if applicable) (Noules/Water Table) Description Table) Description Class (if applicable) (Noules/Water Table)		1,1				1		(I
Soil Boiring Number Soil Class Depth Textural Structure (Noules/Water Table) Class (if applicable) Table) Soil Class Comments Comments		²		-	-			-√
Soil Boring Number Soil Class Depth Textural Structure Drainage (Nfoules/Water Table) Class (if applicable) (Nfoules/Water Table) Description Class (Nfoules/Water Table)		[- i				1 - 1		
Soil Boring Number Soil Class Depth Textural Structure Drainage (Noutes/Water Table) Description Table Description Textural (if applicable) (Noutes/Water Table)	•	14-						ļ
Soil Boring Number Soil Class Depth Textural Structure Drainage (Nfoules/Water Table) Class (if applicable) (Nfoules/Water Table) Description Class (Nfoules/Water Table)		-	•					. ,
Soil Boring Number Depth Textural (feet) Class (if applicable) (Noules/Water Table) Depth Textural (if applicable) (Noules/Water Table)		-						÷.
Soil Boring Number Depth Textural (feet) Class (if applicable) (Noules/Water Table) Depth Textural (if applicable) (Noules/Water Table)		l I I		1				
Depth (Feet) Class (if applicable) (Nonles/Water Table) Depth (Feet) Class (if applicable) (Nonles/Water Table)		.4		₹ .				ı i
Depth (Feet) Class (if applicable) (Nonles/Water Table) Depth (Feet) Class (if applicable) (Nonles/Water Table)		1		1				1
Depth (Feet) Class (if applicable) (Nonlest/Water Table) Drainage (Nonlest/Water Table) Drainage (Nonlest/Water Table)		5						
Depth Textural (feet) Class (if applicable) (Nonles/Water Table) Depth (Feet) Class (if applicable) (Nonles/Water Table) Depth (Feet) Class (if applicable) (Nonles/Water Table)	j							1
Depth Textural (feet) Class (if applicable) (Nonles/Water Table) Depth (Feet) Class (if applicable) (Nonles/Water Table) Depth (Feet) Class (if applicable) (Nonles/Water Table)	· :	Can palarage		12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 °C 5 " 20 20 1 3 240	in the state of the state of the	The Company of the Co	
(Feet) Class (if applicable) (Nontest/Vater Table) Description (if applicable) (Nontest/Vater Table)		CONTROLING 1	muipel - **-	A STATE OF THE STATE OF			Soil Class	rs. Séri
(Feet) Class (if applicable) Class (if applicable) Class Class (if applicable) Restrictive Florizon Restrictive Comments Florizon Table)	Ī	Danth I	1 Tanada 1	and a service of a service		中国的""一大大大"。		
Table) O and the second secon	J			Structure .	· Drainage	Restrictive		7
Table)	1		· Class	(ii applicable)	(Monies/Maier	Horizon	er i kilişe	ì.
	1				Table)			
	1	,	·	ŧ				**
		" ₁ 1 '		1				
		.}	•			1	r*	Í
2 12 12 12 12 12 12 12	!	1 — 1·	11		!	· ·	•	
3	. 1	J 17	- 1	.,	1	:	•	Í
3-	÷ •,	· .	- I					
]3	ļ	!			- 4. Turk	Í	:	i
	ļ	<u> </u>	1	172.1				
	ļ	3		. 1	1	1		
5-		3		•	1			
5		3		. 24	٠.,	= = =		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
		7 1 1 1 1 1 1 1 1 1	17	. 2.	٠.	-		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
		3			٠.,	-		١ .

CONTINUED ON THE REVERSE SIDE

Schematic of Lot or Tract

Compass North, adjated and other structures. The location of exist and call the degree of the location of soil between the location of any results.	st be shown on the Site Drawing of Streets, property lines, por facilities (show all existing ing or proposed water wells so slope or provide contour line orings or backhoe pits (show atural, constructed or propositiary slopes or grade changes	roperly dimensions and the and any planned structure ituated within 150 feet of the structure to the structu	he above-described e farthest location t to a known-refere	property	il.absomion field	Fee Sum
	ipass orth	Site Draw Scale: 1 inch= 50	ing feet	;		
. =	46 min	m m s	~ <u></u>		t man there for	
idiyaşılığığığı ile	t+ - 198 61 h+-	e e e	11 m.,	Tr ± t		
	A HAT Walter Maribal He		,	(i - 1/2 %	Reguerra	
j <u>2</u> -		. ₁₉₈	7 %			(
			S#7	:		
Include the status of each o	Feature of the following factors and gi	res of On-site Sewage 1	Facility Arca	STNEEDED ()		-
Presence of any 100-year fil Presence of an upper water. Located above any flowage Presence of any adjacent po Existing or proposed water Organized sewer service av	shed or flood easements nds, streams or water impout well that will impact the site ailable to the property	Yes Yes	No No No No No No No No No		orgments	20
bettitued on	this report are based on my f		ccurate to the best	of my knowledge		astion wr
w.icorripatSomerelRetSEFeam						:.

Limestone County Texas Floodplain Permit Application

FLOODPLAIN ADMINISTRATION, LIMESTONE COUNTY, TEXAS



\$25.00 Permit Fee			Application #
Please submit completed to All information requested below			
1. Name of Applicant:		Phone #:	
Mailing Address:		Email:	
if the property was obtained less that			
Location of Property If located in a subdivision:	To speed this process along	g, go to www.limeston perty and obtain the L	number of the property, if available. ecad.com and do an owner search o Imestone Parcel ID number. If all els 1729-3009.
Name of subdivision	Section No.	Block No.	Lot No.
If NOT located in a subdivi	sion:	8	
Name & No. of Surv	ey/Abstract		Acreage
Location Description		Please be as specific and adjacent property	as possible including nearest LCR
3. Nature of Proposed Developme	ent (check and complete	e all that apply)	
☐ Residential ☐ Placeme	ent of Fill	☐ New Construction	n
 Alteration of a Natural Wat 	terway or Drainage Cours	e 🛛 Substantial	Improvement to existing structure
Non-Residential - Name &	Type of Business:		
WARNING: Please read and acknow Administrator in evaluating flood hazards to propo- best available scientific and engineering data. On a causes, Issuance of an exemption certificate does flood damage, Issuance of an exemption certificate or any officer or employee of Limestone County in Additional federal, state or local permits may be re	sed developments are considered a rare ocassions greater floods can as not imply that developments outsic a shall not create Liability on the pa the event of flooding or flood dama	easonable and accurate for nd will occur and flood heigh to the identified areas of apert of Limestons County, the	regulatory purposes and are based on the hts may be increased by man-made or natural solal flood hazard will be free from flooding or
Signature:		Date:	
4. APPLICANT WILL PROVIDE OF CONSTRUCTION, IF IN A FLOOD		SECIFICATIONS O	F THE PROPOSED
FOI s the property located in an Identified flo	R USE BY FLOODPLAIN	N ADMINISTRATOR	R □ Yes □ No
is the property located in the floodway?	700 Hazaro aroa i		☐ Yes ☐ No
FIRM Zone Designation is:FII		Dated	
Base Rood Elevation at the site is is additional information required (includi	ft NGVD (MSL) or la ing Letter of Map Change)?	s unavallable	☐ Yes ☐ No
Ensure that applicant is receiving the nec		l permits.	☐ Yes ☐ No
☐ Variance Issued☐ Permit Application Approved☐			
Permit Application Denied			

THIS PERMIT IS VALID FOR ONE YEAR FROM THE DATE ISSUED & WILL NEED TO BE RENEWED IF WORK IS NOT COMPLETED AT THAT TIME

Floodplain Administrator: ___

Date: _____

ONE REMINDER, MANY FLOODPLAIN PERMITS TAKE TIME TO RESEARCH SO SUBMIT AT LEAST 4 DAYS PRIOR TO CONSTRUCTION

AFFIDAVIT TO THE PUBLIC

THE COUNTY OF LIMSTONE

ST	AT	E	OF	T	EX	48
----	----	---	----	---	----	----

Before me the undersigned authority, on this day personally appeared
(Name of homeowner (s)) who, after being by me duly sworn, upon oath states that he/she is the
owner of record of that certain tract or parcel of land lying and being situated in Limestone County,
Texas, and being more particularly described as follows:

Legal description of property:

The undersigned further states that he/she will, upon sale or transfer of the above-described property, request a transfer of the OSSF permit to operate such SURFACE APPLICATION SYSTEM OR DRIP IRRIGATION SYSTEM to the buyer or transferee. Any buyer or transferee is hereby notified that in accordance with Chapters §285.33(b,3,C) and §285.7(f) of the Texas Administrative Code, ongoing maintenance shall be provided by a maintenance company for use of the system:

- The owner of each surface application system or drip irrigation system shall continuously maintain a signed written contract with a valid maintenance company and shall submit a copy of the contract to Limestone County, 200 W. State St., Suite 101, Groesbeck, Texas 76642.
- 2) If the property owner or maintenance company desires to discontinue the provisions of the maintenance contract, the maintenance company shall notify, in writing, Limestone County Designated Representative at least 30 days prior to the date service will cease.
- 3) If a maintenance company discontinues business, the property owner shall within 30 days of the termination date, contract with another approved maintenance company and provide Limestone County with a copy of the newly signed maintenance contract.

For more information concerning the rules or regulations on surface application on-site wastewater treatment systems, please contact the Designated Representative at Limestone County, 200 W. State St., Suite 101, Groesbeck, Texas 76642.

WITNESS MY/OUR HAND(S) on this the day of,						
Notary Public, State of Texas	Signature of Homeowner(s)					
Notary's Printed Name	(Seal)					
Commission Expires						

SYSTEM DESIGNERS FOR ON-SITE SEWAGE FACILITIES

(PARTIAL LIST ONLY)

This list has been compiled as a service to you only. The County in no way recommends or approves the companies and/or individuals named.

Ted L. Kantor, PE; SE 962 LCR 496 Mexia, TX 76667	(254) 747-0164	Greg Long, SE 681 LCR 480 Centerville, TX 75832	(936) 349-2610
Chris Robinson, RS; SE 211 CR 501 Fairfield, TX 75840	(903) 389-8175	Phillip Martar, RS P.O. Box 274 Scurry, TX 75158	(972) 452-8487
Kim David Mayo, PE 3420 FM 937 Groesbeck, TX 76642	(979)229-7508	Kevin Prince, PE; RS P.O. Box 136 Chatfield, TX 75105	(817) 688-6855
Steven Gonzalez, RS 9246 Brookwater Circle College Station, TX 77845	(989) 764-7158	Terry D. Rodgers, RS 5725 FM 1181 Ennis, TX 75119	(972) 878-7172
William Hill, RS 204 North FM 2555 Corsicana, TX 75110	(903) 879-5058	Doug Dowleam, RS 703 Oak Dr. Blanco, TX 78606-494	(210) 878-8100 3
Chad Willson, PE; SE 11550 Brewster Creek Rd. Moody, TX 76557	(254) 654-3622		
Karen Hix, SE Reddell Septic P.O. Box 175 Aquilla, TX 76622	(254) 405-0662		
J. Michele Cook, SE Mysti Thomton, RS Grace Environmental 1875 FM 2136 Clifton, TX 76634	(254) 715-2005 (832) 334-8795		
204 North FM 2555 Corsicana, TX 75110 Chad Willson, PE; SE 11550 Brewster Creek Rd. Moody, TX 76557 Karen Hix, SE Reddell Septic P.O. Box 175 Aquilla, TX 76622 J. Michele Cook, SE Mysti Thomton, RS Grace Environmental 1875 FM 2136	(254) 654-3622 (254) 405-0662 (254) 715-2005	703 Oak Dr.	

RS = Registered Sanitarian

PE = Professional Engineer (Designer) SE = Site Evaluator

ON-SITE SEWAGE FACILITY CONTRACTORS/INSTALLERS (PARTIAL LIST ONLY)

NOTE: The following list of contractors/installers have been licensed by the Texas Commission on Environmental Quality (TCEQ) as Registered Installers of On-Site Sewage Facilities. This list has been compiled as a service to you only. The County does not recommend anyone.

Andrews, Jeff	1347 LCR 152, Mt. Calm, TX 76673	(254) 709-9037	OSII-37187
Bounds, Justin L.	199 PR 5483A, Mexia, TX 76667	(903) 388-1614	OSII-37990
Brawshaw, Sam	7175 CR 298, Oakwood, TX 75855	(903) 536-5303	OSII-5177
Chapman, Bobby	14075 Hwy.14, Richland, TX 76681	(254) 362-1842	OSII-22659
Dodd, Ramsey	633 White Rock Rd., Italy, TX 76651	(214) 914-8575	OSII-38406
Johnson SPD Tyler Johnson	246 LCR 236, Mexia, TX 76667	(254) 426-5433 (903) 915-0540	OSI-39535
Larry Lynch, LLC Scott, Tyron	P.O. Box 385, Buffalo, TX 75832	(903) 322-5245 (903) 322-5307	OSII-32640
Mitchell, Daniel	298 FM 2745, Kosse, TX 76653	(254) 935-8527	OSII-5733
Murphey, Robert	4546 Hwy. 14 N., Mexia, TX 76667	(254) 625-1884	OSII-8458
Reddell Septic, LLC Karen Hix Mark Gilbert	P.O. Box 175, Aquilla, TX 76622	(254) 829-1887	OSII-8148 OSII-35228
Reynolds, Jason	P.O. Box 2122, Belton, TX 76513	(254) 563-6181	OSII-28460
Rose, Zack	2774 Texas 236 Hwy., Moody, TX 76557	(254) 715-5491	OSII-26230
Salmeri, David	3108 SH 3, Deary, TX 83823	(254) 717-1230	OSII-22459
Sessions, Ken	P.O. Box 344, Kirvin, TX 75848	(903) 388-5339	OSII-6580
Shoaf, Wyatt	P.O. Box 172, Bynum, TX 76631	(254) 205-2146	OSII-37202
Trantham II, James	P.O. Box 197, Tehuacana, TX 76685	(903) 388-8969	OSII-5280
Vezorak, Mike	8592 Hwy. 75 N., Buffalo, TX 75831	(903) 388-0280	OSII-31450

MAINTENANCE PROVIDERS

This list has been compiled as a service to you only. The County does not recommend anyone.

8&C Contracting 14075 Hwy. 14 Richland, TX 76681 (903) 362-1842

Best Texas Septic ATTN; Jason Robbins P.O. Box 394 Belton, TX 76513 (254) 563-6181

Brazos Septic Solutions, LLC ATTN: Dawn Kieran P.O. Box 264 Waco, TX 76703 (254) 235-3897

Brown Sand and Gravel ATTN: Patrick Brown 5400 SE CR 1086 Corsicana, TX 75109 (903) 654-2692

Central Texas Hydro Flo ATTN: Jason Colliver 140 Foxglove Dr. Hewitt, TX 76643 (254) 715-6655

First Class Septic Services ATTN: Mark Erb 2621 FM 2158 Midway, TX 75852 (936) 703-7897

Grace Environmental Design & Consulting 1875 FM 2136 Clifton, TX 76634 (254) 715-2005

Michael Vezorak 8592 Hwy. 75 N. Buffalo, TX 75831 (903) 388-0280 Shoaf Septic Solutions ATTN: Jack Wyatt Shoaf P.O. Box 172 Bynum, TX 76631 (254) 205-2146

HOT Solutions ATTN: Vickie Glatter P.O. Box 417 Elm Mott, TX 76640 (254) 227-3340

Greg Long 681 LCR 480 Centerville, TX 75833 (936) 349-2610

Murphey Septic & Maintenance ATTN: Robert Murphey 4546 Hwy. 14 N. Mexia, TX 76667 (254) 562-3571

KDT Construction ATTN: Ken Sessions P.O. Box 344 Kirvin, TX 75484 (903) 599-2319

Reddell Septic, LLC ATTN: Karen Hix P.O. Box 175 Aquilla, TX 76622 (254) 405--0662

Southards Septic Systems Co. ATTN: Bill Southard 343 Blackjack Rd. Ennis, TX 75119 (972) 878-6679

Justin L. Bounds 199 PR 5483A Mexia, TX 76667 (903)388-1614